


Attachments for **FORD** Lawn and Garden Tractors




**MOWING
GARDENING
SNOW REMOVAL
LAWN MAINTENANCE.**

**For fast
easy
lawn care.**




36-in. Rotary Mower No. 59732

Features twin steel, heat-treated blades. Mower can be set to cut from 1½ to 4 inches above ground. Mows up to ten acres per 8-hour-day. Rounded front skid shoes prevent scuffing. 34-in. Rotary Mower No. 59528 for 7-hp models.




42-in. Rotary Mower No. 59740.

"Snap-on" design. Cuts up to 12 acres per day! Three heat-treated steel blades in a tough aluminum-magnesium housing. Uniform cutting on smooth, rough or uneven terrain. Cutting height adjustable from 1¼ to 3 inches.




48-in. Rotary Mower No. 655A.

Mowing deck has front caster wheels with pivoted mounting frame in rear of tractor for true 3-point suspension. Heavy-duty steel construction throughout. Unit is designed for use with Ford 10 or 12-hp models.




Aerifier No. PM-3.

This outfit lets you loosen soil without disturbing the grass . . . gives you a better penetration of fertilizer. Can be used behind tractor while mowing to aerify turf. Depth adjustment and transport wheels are standard; cultivates 30-in. swath with 32 spoons.



**3-Gang Reel Mower
No. 59571 and 59576 Hitch.
5-Gang Reel Mower No.
59571 and 59583 Hitch.**

Attaches or detaches in seconds. 3-gang reel mower cuts a full 5-ft swath—3 to 4 acres an hour. 5-gang reel mower cuts a full 8-ft swath—4 to 5 acres per hour. A Ford with the 5-gang reel attachment is the perfect combination for large area turf maintenance.





48-in. Sickle Bar No. A-401B.

Ideal for cutting high, coarse grasses and tall weeds, trimming under low-hanging trees and bushes. Mows from full vertical position to full horizontal position. Heavy-duty belt-drive, with convenient lift arm.

**3-Gang Mid-Mounted.
Reel Mower No. UM 21-3W.**


Mid-mounting lets you mow turf before rear wheels contact it, for cleaner, easier mowing. Reduces tire-tracking. Mows 56 to 58-in. swath at 4-mph speeds. Height of cut adjustable from ¾-in. to 2½-in.






Vacuum Sweeper No. 40

Picks up grass clippings, leaves and litter. 4-hp engine vacuum power plant. For use with 36, 42, 48-in. rotary mowers. Also available: Model 30.




Pickup Sweeper No. 444A

Sweeps up sand, gravel, broken glass, paper, other debris from turf and hard surfaces. Sweeps 48-in. swath. Cleans up to three acres/hour, with own power source. 7-cu. ft hopper.




Spiker No. A-F65

Tapered, high carbon tool steel pins penetrate to 1½ in., provide access for air, water, nutrients. 36 inches wide.




Pull Thatcher No. 110

Thatch removal improves lawn aeration and irrigation, improves fertilizer and seed response. 37½ in. wide, with 100 spring tines. Independent 2-hp engine.




Front End Thatcher No. 100

37½-in. raking width, with 100 spring tines with rubber sleeves. Unit can be raised and lowered from the tractor seat. 14-gage steel deck. Safety cover over drives.




Lawn Roller No. 525

Levels new or old lawn, finishes seedbeds, irons out frost heave. 32-in. width. 24-in. diameter. Available in 2 and 3-gang combinations.




Fertilizer Spreader No. 30

Distributes materials at the exact rate you want. Spreads fast, evenly under force-flow feed. Convenient start-stop lever.



Lawn Sweeper No. 525

30-in. sweeper width with 12-bu. capacity hopper. Rear dump, can be operated without leaving the tractor. Returns automatically. Also available: 3-gang unit.




Mini-Rake No. A-UB51-B

Four feet wide. Five angle settings, to wind-row material. One-in. spacing between spring steel teeth. Optional gauge wheel. Also available, No. A-UB52-B, six feet wide.

Robbie Rake

4-ft rake with two rows of flexible steel tines. Wheel mounted. Quick-hitch, quick-trip, self-cleaning unit.




Terra-Blade No. 1908-42

Mid-mounted blade in 42-in. width, for landscape work. Angles 20 deg. right or left. High carbon steel grader blade stock. Also available, 50-in. width, No. 1908-50.




Mini-Blade No. A-UB50-B

Four feet wide with 13-in. deep mold board. Five angle positions. Blade can be offset to extend beyond tractor wheels. Reversible cutting edge. Skid shoes.




No more snow shovelling.




Snow Thrower No. 59533 (Single stage) for 7-hp models.

34-in. wide, high-capacity, high-velocity snow thrower whirled snow away by the yard. Power-driven auger, 34-in. wide, features single belt drive and spring-loaded clutch. Spout turns 270 deg. Also available, 38-in. single stage snow thrower for 8 to 14-hp models, No. 59682.




Snow Thrower No. 59746 (Two stage).

Where high-capacity equipment is required, the 36-in. wide two-stage snow thrower answers the need. Auger feeds snow from both sides toward the center, a high speed impeller throws it where you want it. Effective in deep, or drifted snow. Spout turns a full 180 degrees.



42-in. Trip Dozer No. 59726.

Push aside snow from your sidewalks and driveways . . . move dirt and gravel. Vertical and horizontal positions are fully adjustable. Spring-tripping mechanism allows blade to trip and clear obstacles safely. Main channel attaches to rear of tractor frame for positive push power.



Dozer Blade No. 59727.


It's no chore to clear snow or other material when you team the 42-in. Snow-Dirt Dozer Blade with a Ford tractor. Constructed of heavy gauge steel, this sturdy, all-purpose blade can doze straight ahead. Also can be adjusted 15 or 30 degrees left or right. Here's a handy attachment you can use year-round.



Snow Cab No. 3154


Now you can move snow in comfort with an all-enclosed cab! Constructed with a new vinyl material and reinforced with tubular steel frames, the cab features plastic, king-sized windows that give you full-circle vision and remain frost and snow free.

Gardening for fun and profit.




32-in. Tiller No. 59724.

Add 32-in. tiller to a Ford and you have the easier way to till up to an acre an hour! Retarding bar adjusts to various tilling depths.




Disc Harrow No. 59514.

Sturdy disc harrow attachment has built-in weight pan for deeper discing chores. Easy to build deep, soft seed beds. Breaks up dirt clods, leaving a fine, even soil texture ready for planting or seeding. 10-in. disc sections easily reversible.




Spike Tooth Harrow No. 59526.

This drag-type spike tooth harrow is ideal for finishing soil areas prior to seeding or planting. The 18 steel spike teeth are fully adjustable for depth—designed to catch and collect troublesome refuse.




Cultivator No. 59522.

You can cultivate any type of row crop with this sturdy 8-shovel cultivator attached to your Ford lawn and garden tractor. You can either cultivate between rows or straddle low-growing crops.




Cultivator With Gauge Wheels No. 0-12.

An excellent cultivator for all crops and soil conditions. Gauge wheels are adjustable for desired cultivating depth. Also serve as transport wheels.




Planter-Fertilizer No. KK 202.

A single unit that enables you to plant seed and apply fertilizer in one operation. Standard equipment includes four different seed plates, three distance gears and an adjustable row marker. Spacing, rate of seed drop and fertilizer flow easily regulated.




Two Row Seeder Planter No. O-AB35

You can plant a wide variety of vegetable seeds with this sturdy unit. Precision die cast feeding mechanism drops seeds accurately. Three seed plates provide 39 different size holes for seeds. Adjustable for depth . . . will plant rows from a 12 to 30-in. width spacing.




10-in. Plow No. 59511.

10-in. plow attachment is fully adjustable for all soil conditions. Plowing land for lawns or gardens is no task at all with this unit attached to your Ford tractor.



Gard-N-Cart No. LL 220


A double-duty grille guard and utility carrier for mounting on front of your Ford tractor. Wing nuts allow quick adjustment of up and down position without tools.



Toolbar No. TT-200.


Versatile toolbar with scraper blade accessory is shown leveling dirt prior to seeding. Other accessories include scarifier, furrow opener, scratcher rake, disc harrow section, pulverizer packer, cultivating sweeps and tiller shovels.

Save muscles and manhours.




Spreader No. 99.

Patented design gives more uniform and accurate spreading of fertilizers, pesticides, seeds, soil conditioners and other materials essential to good turf development. Spreader comes complete with attaching parts.




A. C. Alternator No. 5344.

Here's an emergency source of electricity when power failure occurs; will operate lights, oil burners, furnace blowers, sump pumps, etc. Model 5344, 2,000 watts, 115 volts. Also available: Model 5345, 4,000 watts, 115/230 volts.



Sprayer No. 42254.

Trail-N-Spray has a 12½-gallon capacity—sprays up to 25-ft heights. Covers lawns fast, sprays shrubs and flowers. Easily operated from tractor driver's position.



Compact Digger No. CD-1

Digs holes down to 30 in. Auger sizes: 4 to 14-in. diameter. All operations performed from the seat of the tractor.



Dump Cart No. 59552

Super deluxe extra-heavy reinforced 14-gal. steel dump cart holds 10 cu. ft. or 800 lbs. Box dimensions: 30 x 48 x 12 in. Also available: Deluxe dump cart No. 59551 with 500-lb capacity.




Roller Blade No. 33

Combination seeder, fertilizer-spreader, clod-buster, leveling blade. 36 in. wide. Scarifier and aerator are available as accessories.

Tractor cab

Neoprene covered nylon curtains with clear vinyl windows. Safety glass windshield with electric wiper. One bolt standard in entire cab assembly.




Utility Trailers


Ideal for transporting Ford lawn and garden tractors. Merely drive on, drive off tilt-bed trailer. Heavy-duty steel deck with traction strips. Five models: 900 to 1,500-lb capacity.



Mini-Wagon

4-wheel trailer with heavy-duty box, 30 x 60 in. Pneumatic tires and ball bearing wheels. Auto-type steer. Adjustable center-reach, 60 to 72 in.






Front-End Loader No. 10 TC.

Load and lift up to 350 lbs of any loose, free-flowing material, sand, snow, fertilizer, etc. Lifts to full height in five seconds, provides over four feet of ground clearance with bucket dumped. (Material and tine buckets.) Also available—Fork Lift Attachment No. 1641.



Earthcavator No. A-FD36

Scrape, scarify, level and backfill with this rugged, all-welded unit. Use it for construction and maintenance on driveways, walks, golf courses and athletic fields. Width of cut 36 in. Rotate the bucket for various operations.



Trail Type Rake No. RM w/Grader Blade No. RM-48.

Removes roots, stones, debris, spreads topsoil, grades, levels, mulches, pulverizes, provides an excellent finish, ready for seed. Works close to trees, walls, curbs and walks. 4-ft width. Also available—No. R0 Rake—6-ft. width.




Thermo-Fogger No. F 2205.

Powerful unit can produce about 22,000 cu. ft of insect-killing fog per minute. Acts instantly without warm-up. Equipped with 3-hp 4-cycle engine. Positive on-off and variable speed controls. 3.5-gallon insecticide tank capacity.




Angle Broom No. C48.

Use it year-round. Sweep leaves or snow in fall and winter. In spring, use it as a lawn thatcher and windrower, all in one fast operation.



Mounted Dump Cart No. BB130

Attaches to tractor hitch with a single pin. Carries up to 150 lbs of materials or supplies. Self-dump, with spring-latch release lever.



Angle Broom S44J.

Sweep snow, dirt and leaves off walks, drives, parking areas and loading docks. 44-in. wide broom with synthetic fibres withstands heavy service, swath clears front, rear tire tracks.



Transporter Body No. ST.

Converts your Ford tractor to a personnel/cargo carryall. Has wide foot rests, bumper and two bucket seats with safety railing. Rear cargo space for small loads. Rugged fiberglass body gives years of service.




Blitz Fogger No. 400.


Installs in less than ten minutes to Ford tractor exhaust. Generates a billowing, insect-killing, dry fog. Special gauge lets you know how much insecticide you have in tank. Treats an acre in ten minutes.

FORD LGT TRACTOR ATTACHMENTS


ACCESSORIES FOR FORD LAWN AND GARDEN TRACTORS




Tractor radio—
No. C7NN-19A236-A.



Chrome-plated hubcaps—
No. 59608 (8-14 hp)
No. 59554 (7 hp)




Wheel weights—No. 59762 (front),
No. 59763 (rear).




Tractor canopy—No. SNO-SBT.




Tractor umbrella—
No. SNO-TU63F.



Sealed beam headlights—No.
59567 (8, 10, 12 hp). No. 59553
(7 hp).




Rear floodlight—No. 59779.




Power take-off—No. 59674.




Rear weight box—No. 59757.
No. 59559 (7 hp only).




Dual rear wheel spacer kit—No. 59598.



Tire chains—No. 59590 (standard).
No. 59591 (wide base). No. 59546 (7 hp).



Universal rear lift hitch—No. 59780.



Hydraulic lift kit—No. 59770 (8 hp).
No. 59777 (10, 12 hp).

Design, materials and/or specifications are subject to change without notice and without liability therefor.

YOUR FORD TRACTOR AND EQUIPMENT DEALER

FORD TRACTOR

